



## ER1000 QUOTATION SHEET

**TO:**

**PLACE OF DELIVERY:** Kaltbrunn

**WARRANTY:** 1 Year(since the date that buyer receive the machine)(Lasko)

**PACKING WAY:** 7-8 Units in 1\*40HQ ,3-4 Units in 1\*20GP Container

**TERMS OF PAYMENT:** 100% paid by T/T.

MODEL	DESCRIPTION	U-P (FOB Kaltbrunn)	QTY	AMOUNT
ER1000	ER1000 Telescopic loader with Standard Bucket, Perkins 403D-11 Euro3 Italy Hydrostatic Driving system, Inching function, Quick Hitch, 26*12-12 Grass Tyrs, Seat, Adjustable Steering Wheel, Electrical Joystick, Floating Function, Pressure Checking System.	CHF.28300.00 Inkl MwSt.	1	
OPTIONS				
Kaltbrunn				

Picture I

Picture II





## Options:

<b>E4 Lamp</b>	CHF.174.00	<b>3 Point Hitch</b>	CHF.535.00
<b>LED Working Light</b>	CHF.174.00	<b>Varta Anti-Freeze Battery</b>	CHF.120.00
<b>LED Alarm Light</b>	CHF.24.00	<b>Loader Damper</b>	CHF.300.00
<b>Trailer Ball</b>	CHF.58.00	<b>Bobcat Quick Hitch</b>	CHF.70.00
<b>Extra Electric Line</b>	CHF.12.00	<b>Euro Quick Hitch</b>	CHF.0.00
<b>26*12.00-12 Grass Tires</b>	CHF.0.00	<b>Trima Quick Hitch</b>	CHF.0.00
<b>Yanmar 3TNV388-BBSY(Tier4)</b>	CHF.1860.00	<b>Perkins403D-11 engine(euro3)</b>	CHF.475.00
<b>Kohler 1003 Engine (Euro5)</b>	CHF.0.00	<b>Kubota euro5 engine</b>	CHF.0.00
<b>Xinchai 3B11 18.5kw (Euro5)</b>	-CHF.500.00		

## Attachments:

<b>Pallet Forks</b>	CHF.750.00	<b>Snow Blade</b>	CHF.1280.00
<b>Adjustable Pallet Forks</b>	CHF.1320.00	<b>V-Snow Blade</b>	CHF.1400.00
<b>Grapple Forks</b>	CHF.1230.00	<b>Crops Blade</b>	CHF.1250.00
<b>European Grapple Forks</b>	CHF.1410.00	<b>Bale Grab</b>	CHF.1400.00
<b>Wooden Forks</b>	CHF.1300.00	<b>Drum Folder</b>	CHF.1000.00
<b>Manure Forks</b>	CHF.680.00	<b>Sweeper</b>	CHF.2000.00
<b>Grapple Bucket</b>	CHF.1330.00	<b>Sweeper With Collector</b>	CHF.2100.00
<b>4 In 1 Bucket</b>	CHF.1300.00	<b>Auger(400mm)</b>	CHF.1900.00
<b>Light Bucket</b>	CHF.1030.00	<b>Flail Mower</b>	CHF.1800.00
<b>Snow Bucket</b>	CHF.1000.00	<b>Digger</b>	CHF.1330.00
<b>Snow Bucket With Wings</b>	CHF.1420.00	<b>Digger With Thumb</b>	CHF.1400.00
<b>Mixer Bucket</b>	CHF.1450.00	<b>Jib</b>	CHF.900.00
<b>Rock Bucket</b>	CHF.1130.00	<b>Hay Forks(One Fork)</b>	CHF.770.00
<b>Crops Bucket(1.6m3)</b>	CHF.1130.00	<b>Hay Forks(Two Forks)</b>	CHF.840.00
<b>Salt Spreader</b>	CHF.1200.00	<b>Double-Blade Bucket</b>	CHF.870.00

## Specifications:

<b>Performance Parameters</b>	
Rated Load	900kg
Bucket Capacity	0.3m3
Lifting Height of main boom	2959mm



Dumping Height of main boom( dumping angle 45° )	2051mm
Dumping reach of main boom	587mm
Max. Loading capacity of main boom	1000kg
Lifting height of small boom	3526mm
Dumping height of small boom(dumping angle 45° )	2618mm
Dumping reach of small boom	1085mm
Max. Loding capacity of small boom	600kg
Max. Speed(F1/R1)	12km/h
Max. Traction force	16.66KN
Max. Breakout Force	15KN
Digging Deep	65mm
Max. Gradeability	25°
Max. Turning angle	35°
<b>Dimension and weight</b>	
Overall length( bucket on ground position)	3820mm
Overall width	1260mm
Overall Height	2310mm
Wheel base	1507mm
Tread	890mm
Min. Ground clearance	220mm
Net weight	2100kg
<b>Engine</b>	
Engine model	Yanmar 3TNV88F-ESSY
Type	Water cooled
Rated Power	19.2kw
Rated Speed	2200r/min
Max. Torque	98.7N.m
Speed at Max. Torque	1320r/min
Number of cylinders	3
Bore & stroke	88*90
displacement	1.642L
Rated fuel consumption	≤230



<b>Transmission</b>	
Pump Pressure	28MPa
Axle	bevel gear reduction
Main drive reduction ratio	3.75
Driving	4 wheel drive
Tire	26*12-12
<b>Steering System</b>	
Type	All hydraulic steering
System Pressure	16
Steering pump type	Gear pump
Steering diameter	63
Stroke	171
quantity	1
<b>Braking System</b>	
1) Foot Brake	
Type	Disc brake
Brake drum diameter	300
2) Hand brake (parking brake)	
Type	Drum
Brake Drum Diameter	160/120
<b>Working hydraulic system</b>	
Oil flow	13.8ml/r
Working pressure	16Mpa
Tilting cylinder diameter & stroke	ø80*318
Boom cylinder diameter & stroke	ø80*395
Voltage	12V
Battery model	6-QW-60B
Starter Type	electric